

Optimum Cropping Pattern for Farmers of Bidar District, Karnataka.



Dileep Kumar Kanna, M. N. Dandigi

Abstract: In the present study optimal solutions were found for net farm returns using Linear Programming model on the sample farmers of Bidar District. The LINGO 17.0 package was used to get the solutions. The sample was of 120 small and large farmers collected from 15 villages from five Tehsils. From each village eight farmers comprising small and large farmers were selected. A total of EIGHT models were developed. They were classified as small farmers S1, S2, S3, S4 and large farmers L1, L2, L3, and L4. The results were compared with existing cropping pattern of small and large farmers. The model S1, small farmers with existing technology and restricted capital registered an increase of in net returns per hectare by 27%, S2 small farmer with existing technology and relaxed capital, returns increased by 34%, S3 small farmer with recommended technology and restricted capital, returns increased by 55%, S4 small farmer with recommended technology and relaxed capital, the returns increased by 65% per hectare. Similarly the net returns per hectare in case of large farmers L1, L2, L3, L4 increased by 47%, 65%, 49%, 76% respectively. The impact of credit on net farm returns in small farmers was Rs: 8322 and the same in large farmers was Rs: 615276. The impact of credit on employment was seen in large farmers in terms of tractor power which rose to 256% followed by man days labour which was increased to 224 percent. It was noted that credit played an important role in augmenting income of farmers; the credit required was directly related to farm size while credit on income inversely related to farm size.

Keywords: restricted capital, cropping pattern, reorganization of resources, impact of credit, Linear Programming Model, net farmers returns.

I. INTRODUCTION

Agriculture plays an important role in shaping economy of our country. Its contribution to Gross Domestic Products (GDP) back in 1970 was about 44% has now reduced to 15% in 2018, thanks to other sectors such as services. Nevertheless, the importance of agriculture is not likely wane away due to concerns of food security, employment, rural poverty and availability of wages as goods (Vijay, 2012)¹. The population in India is growing at a rate of 1.4% will surpass the population of China in 2027. The country needs to produce approximately 320 million tons of food grains, 290 million tonnes of vegetables and fruits, 185 million tonnes of milk, 26 million tonnes of meat, eggs and fish and 23 million tonnes of edible oil by 2022. (Joshi and Kumar 2001)².

Revised Manuscript Received on October 30, 2019.

* Correspondence Author
Dileep Kumar Kanna*, Civil Engineering Department, BKIT, Bhalki.585328 Bidar District, Karnataka India. E-mail:dilipkanna1@gmail.com

Dr. M. N.Dandigi Civil Engineering Department, P.D.A.College of Engineering, Kalburgi, 585101 Karnataka, India. E-mail:mndandigi@yahoo.co.in

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

The increasing demand of agricultural products coupled with limited availability of farm resources needs a careful exploration of production pattern, exploring possibilities of increasing efficiency of resources on various sizes of farms (Paroda and Praduman, 2000)³ The efficiency in agriculture is achieved by optimum utilization of resources. Agriculture in India, due to increased farm input cost and dwindling profitability of farm products have made it a losing proposition. In view of this, it has become imperative that the available resources should be used judiciously and economically since more is efficiency higher will be the income. In present study, an attempt has been made to analyze possibilities and prospects of increasing net farm income by rational allocation of resources through optimum production pattern, the objective of which is to ascertain existing resource pattern, develop optimum combination of resources for different models and compare with existing pattern.

The study was undertaken in Bidar District, Karnataka, which is an economically backward district. A total of 120 farmers were selected from five Tehsils, choosing three villages from each Tehsil. From these villages, four small farmers and four large farmers who have 2 Hectares of land and more than 2 Hectares of land respectively were selected. The study was conducted in the year 2018. A linear programming model was used to explore the possibilities of optimizing net farm returns considering various crop activities.

Maximize $Z = \sum_{j=1}^n C_j X_j$ where $j = 1$ to n activities



Fig. 1 Bidar Map

Subjected to:

$$\sum_{j=1}^n a_{ij} X_j \geq b_i \quad (i = 1, \dots, k)$$

$$\sum_{j=1}^n a_{ij} X_j \leq b_i \quad (i = k+1, \dots, m)$$

$$\sum_{j=1}^n a_{ij} X_j = b_i \quad (i = m+1, \dots, v)$$



Optimum Cropping Pattern for Farmers of Bidar District, Karnataka.

$X_j, b_i \geq 0$ (Non negatives constraints)

where, Z = Objective Function,

C_j = price of j^{th} activity during *kharif* and *rabi* season,

X_j = unit of j^{th} production activity during *kharif* and *rabi*,

a_{ij} = amount of i^{th} resource required by j^{th} activity,

b_i = quantity of i^{th} resource.

With above model four optimum plans (Models) were developed for farm situation and compared for income and employment.

Model-1: Restricted Capital and Existing Technology
Model -2: Unrestricted or Relaxed capital and Existing Technology

Model-3: Recommended technology with restricted capital

Model-4: Recommended Technology with unrestricted capital.

The resources available for farm production were considered as constraints which are taken as: a) Land: Irrigated and Dry Land (e.g. *kharif* irrigated, *kharif* dry land, *rabi* irrigated and *rabi* and *rabi* dry land) b) Human Labour : level of human labour for family and hired c) bullock labour : available labour during peak period d) Tractor power: some farmers are hiring tractor power and hence included in the model. e) Capital: it is the expenditure incurred on seeds, fertilizers, and farm yard manure (FYM), pesticides, irrigation and other inputs taken as cash restriction during the plan period. The existing levels of all resources used on the farms were taken as maximum supply available on the farms. The constraints were set on FYM, N (Nitrogen), P (Phosphorous) and K (Potassium) for *kharif* and *rabi*. All crops grown on the farm were taken as real activity for present analysis. The objective of the model was to maximize net annual returns on farm subject to resource constraints specified earlier. The net returns are obtained by deducting variable expenses from income. The variable costs were: the cost of seeds, manures, fertilizers, water, hired human labour and machine labour, pesticides, insecticides etc. The harvest prices were taken as output prices and the actual market prices of input at the time of application were taken as input prices.

III. RESULTS AND DISCUSSIONS

The discussion of results from investigation carried out is made through analyzing and comparing the existing cropping pattern with optimal cropping and also comparing net farm returns on different farm sizes. In existing cropping pattern Table 1, for small farmers, sugarcane (64.70%) and Soya bean (33.33%) dominated the cropping pattern followed by black gram (25.92%) in *kharif* dry land and Bengal gram (35.30%) in *kharif* irrigated land. The other crops like green grams, red gram and onion were grown on small scale. In large farmers Table 2, Bengal gram (50%), soya bean (39.82%) were dominant crops in both seasons followed by sugarcane (30.54%) and green gram (22.17%). In *rabi* dry land 27.37 % of land was left fallow due to scarcity water while ginger which is a cash crop has 17.96 % cropped area due to high input costs. The farmers

Table I Cropping pattern for small farmers under different optimal plans

Sl No	Particulars of Crop	Existing		S1		S2		S3		S4	
		Area (ha)	Percent	Area (ha)	Percent	Area (ha)	Percent	Area (ha)	Percent	Area (ha)	Percent
1	Kharif Dry Land										
a	Soya bean	0.36	33.33	0.00	0.00	0.00	0.00	0.20	18.52	0.63	58.30
b	Black gram	0.28	25.92	0.00	0.00	0.00	0.00	0.78	72.22	0.20	18.52
c	Green gram	0.21	19.44	0.00	0.00	0.00	0.00	0.00	0.00	0.10	9.30
d	Red gram	0.24	22.22	1.08	100	1.08	100	0.10	0.09	0.15	13.88
	Fallow	--	--	--	--	---	--	----	---	---	---
	Total	1.08	100	1.08	100	1.08	100	1.08	100	1.08	100
2	Kharif Irrigated Land										
a	Sugarcane	0.33	64.70	0.18	36.07	0.41	80.40	0.00	0.00	0.00	0.00
b	Bengal gram	0.18	35.30	0.10	19.61	0.10	19.60	0.10	19.60	0.51	100
	Fallow	--	--	0.23	44.31	--	--	0.41	80.40	0.00	0.00
	Total	0.51	100	0.51	100	0.51	100	0.51	100	0.51	100
3	Rabi Dry Land										
	Fallow	1.08	100	1.08	100	1.08	100	1.08	100	1.08	100
	Total	1.08	100	1.08	100	1.08	100	1.08	100	1.08	100
4	Rabi Irrigated Land										
a	Sugarcane	0.33	64.70	0.18	35.29	0.41	80.40	0.00	0.00	0.00	0.00
b	Onion	0.18	35.30	0.33	64.71	0.10	19.60	0.51	100	0.51	100
	Total	0.51	100	0.51	100	0.51	100	0.51	--	0.51	---
5	Cropping Intensity (%)	132	----	118	----	132	----	106	--	132	--
6	Net farm returns for total cultivated area (Rs:)	74520	----	105196	----	113518	----	165332	--	212229	--
7	Net farm returns per Hectare cultivated area (Rs:)	46931	----	66161	----	71395	----	103982	--	133477	--

Table II Impact of Credit on Employment of Small and Large Farmers

Category	Existing Technology		Change Over	
	Model 1	Model 2	Absolute	Percent
Small Farmers				
Mandays	24.34	36.07	11.73	48.19
Womendays	42.16	57.96	15.84	37.47
Bullock days	6.26	8.97	2.71	43.29
Tractor Hours	1.93	1.48	-0.45	23.31
Large Farmers				
Mandays	76.97	249.9	172.93	224.67
Womendays	149.11	387.40	283.29	189.98
Bullock days	19.49	55.16	35.67	183.01
Tractor Hours	14.92	53.13	38.21	256.09

Table III Cropping Pattern for large farmers under different optimal plans

SI No	Particulars of Crop	Existing		L1		L2		L3		L4	
		Area (ha)	Percent	Area (ha)	Percent	Area (ha)	Percent	Area (ha)	Percent	Area (ha)	Percent
1	<i>Kharif Dry Land</i>										
a	Soya bean	1.76	39.82	0.50	11.31	0.50	11.31	0.50	11.31	0.80	18.10
b	Black gram	0.90	20.36	0.40	9.00	0.40	9.00	2.40	5.30	3.42	77.37
c	Green gram	0.98	22.17	0.00	0.00	0.00	0.00	0.10	2.26	0.20	4.57
d	Red gram	0.79	17.29	0.15	3.40	3.52	79.63	0.00	0.00	0.00	0.00
	Fallow	--	--	3.37	76.24	--	--	---	---	---	--
	Total	4.42	100	4.42	100	4.42	100	4.42	100	4.42	100
2	<i>Kharif Irrigated Land</i>										
a	Sugarcane	0.50	30.54	0.10	0.05	0.10	0.00	1.00	6.00	0.10	6.00
b	Ginger	0.53	31.73	0.01	0.05	0.01	0.10	0.00	0.00	0.00	0.00
	Paddy	0.36	21.55	1.08	64.67	0.16	99.90	0.00	0.00	0.00	0.00
	Onion	0.14	8.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Tomato	0.18	10.78	0.00	0.00	0.00	0.00	0.00	0.00	0.10	6.00
	Chilies	0.18	10.78	0.00	0.00	0.00	0.00	0.38	22.75	1.47	88.00
	Fallow	--	--	0.48	28.74	--	0.00	1.19	71.25	--	---
	Total	1.67	100	1.67	100	1.67	100	1.67	100	1.67	100
3	<i>Rabi Dry Land</i>										
	Bengal gram	2.21	50.00	0.00	0.00	0.00	0.00	1.00	6.00	0.10	6.00
	Jowar	0.55	12.44	2.92	66.06	0.00	0.00	0.00	0.00	0.00	0.00
	Safflower	0.44	9.95	0.00	0.00	4.42	100	0.00	0.00	0.00	0.00
	Fallow	1.21	27.37	1.50	33.93	0.00	0.00	0.00	0.00	0.00	0.00
	Total	4.42	100	4.42	100	4.42	100	0.00	0.00	0.10	6.00
4	<i>Rabi Irrigated Land</i>										
a	Sugarcane	0.50	30.54	0.00	0.00	0.00	0.00	0.10	6.00	0.10	6.00
b	Ginger	0.30	17.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Chilies	0.18	10.78	0.00	0.00	0.00	0.00	0.38	22.75	1.47	88.00
	Wheat	0.34	20.36	0.16	93.40	1.56	93.41	0.00	0.00	0.10	6.00
	Fallow	0.34	20.36	0.11	6.60	0.11	6.60	1.19	71.26	0.00	0.00
	Total	1.67	100	0.67	100	1.67	100	1.67	100	1.67	100
5	Cropping Intensity (%)	174	----	110	----	198		161	--	200	--
6	Net farm returns for total cultivated area (Rs:)	612076	----	1156481	----	1771757		1203872	--	2552051	--
7	Net farm returns per Hectare cultivated area (Rs:)	100497	----	189898	----	290929		197680	--	419056	--

In optimal solution of small farmers S1, only one crop red gram emerged as 100 % cropped area in *kharif* dry land while in *kharif* irrigated land sugarcane, Bengal gram found their places. In *rabi* irrigated, onion (64.71%) emerged as dominant crop followed by sugarcane (35.29%). In S-2 model, under relaxed capital, the area of sugarcane increased to 80.40% due to availability of funds and Bengal gram again found its place due to local affinity. Interestingly there was no irrigated land left as fallow as was the case in model S1. The cropping intensity too increased to 132% from 118% compared to S1 and net farm returns also increased. In model S3, under recommended technology with restricted capital black gram and soya bean emerged as optimal solutions in *kharif* dry land with 72% and 18% cropped area respectively while large amount of land 0.41 hectares (80%) was left fallow which may be due to restrictions imposed on capital and only 20% of area was occupied by Bengal gram in *kharif* irrigated land. The *rabi* dry land was again left fallow as was the case in existing

cropping pattern. In *rabi* irrigated land only onion with 100% area found its place. Sugar cane which is an important cash crop in the region did not find its place. Due to this the cropping intensity reduced to 106% from 132% in existing pattern. The model however registered an increase in net return per hectare by 55%. In model S4, Bengal gram, soya bean and onion emerged as dominant crops followed by black gram and red gram. The model did not allocate land to any crop in *rabi* dry land. In *rabi*

Table IV Net Returns small and large farmers under different optimal models (Rs:)

Category	Existing	Model - 1	Change Over E-Plan	Model -2	Change Over E-Plan	Model - 3	Change Over E-Plan	Model -4	Change Over E-Plan
Small Farmers	74620	105196	30576	113518	38898	165332	90712	212229	137609
Large Farmers	612076	1156480	544405	1771757	1159681	1203872	591796	2552051	1939975

Table V Impact of Credit on Net Farm Returns of Small and Large Farm in (Rs:)

Category	Existing Technology			Recommended Technology		
	Model 1	Model 2	Change Over Model 1	Model 3	Model 4	Change Over Model 3
Small Farmers	105196	113518	8322	165332	212229	46897
Large Farmers	1156481	1771757	615276	1203872	2552051	1348179




Fig. 2 Net returns of small and large farmers




Fig.3 Impact of credit on net return

irrigated land onion occupied 100% area becoming only crop in that season. The cropping intensity rose slightly to 132% relative to model S3. The net increase per hectare was 65%. In optimal solutions of large farmers L1 from Table 2, large amount of land (76.24%) was left fallow may be due to restriction on funds in kharif dry land. Only soya bean and black gram found places with areas as 11.31% and 9% respectively. In kharif irrigated land paddy was dominant with 64.67% area followed by fallow land with 28.74%, sugarcane was little with only 0.05%. In rabi dry land surprisingly jowar was dominant with 66.06% followed by again fallow land 33.93%. In rabi irrigated land wheat with 93.4% was dominant. In model L2 of large farmers with relaxed capital in kharif dry land red gram with 79.63% emerged as dominant crop followed by soya bean and black gram. In kharif irrigated land paddy emerged as dominant

with 99.9% while in rabi dry land only one crop safflower found place and in rabi irrigated wheat with 93.41% and fallow land with 6.6% was found as optimal solutions. The net cropping intensity was found to be 198% which is due to relaxed capital. Paddy and wheat which are food crops have emerged as dominant crops in both seasons. In model L3, black gram (54.3%) and soya bean (11.3%) emerged as feasible crops in kharif dry land followed by green gram 2.26%. Large amount of land 32% was left as fallow. This could be due to scarcity of funds faced by the farmer. In kharif irrigated land chilies with 22.75% and sugar cane with 6% found their places while 71% of land was again left fallow.

Optimum Cropping Pattern for Farmers of Bidar District, Karnataka.

This is not desirable as country like ours irrigated land cannot go uncultivated. In *rabi* dry land only one crop *jowar* found its place with 100% area. While in *rabi* irrigated land sugar cane and chilies continued their occupation and no new crop emerged. Again 71% of the land was left fallow. In model L4, black gram, soya bean emerged as optimal solutions in *kharif* dry land followed by green gram while in *kharif* irrigated land the model has utilized entire irrigated area giving 88% to chilies and 6% each to sugar cane and tomato. In *rabi* dry land *jowar* occupied 97% while Bengal gram occupied only 3%. In *rabi* irrigated land chilies continued its occupation from previous season and so was with sugar cane. Wheat found its place with 6% area in this model. The cropping intensity increased to 200% for the first time in all three models. Also the increase in returns was up to 76%. The net increases in returns in small farmers in model 1 compared to existing is Rs:30576 (29%) in Table 4 and in case of model 2 it is Rs:38898 (24%) and the net increase in recommended technology was Rs:90712 (54.8%) for S3 and for S4 the increase was Rs:137609 (64%). Similarly in case large farmers in model 1 under restricted capital the increase in net returns compared to existing pattern was Rs:544405 (47%) and in case of model 2 the increase was Rs:115968 (65%). The increase in the return under recommended technology in model L3 was Rs:591796 (49%). Similarly the net increase in model L4 was Rs: 1939975 (76%). The impact of credit on net farm returns from Table 5 for small farmers is Rs: 8322 and for large farmers it is Rs: 61527. The employment generated by the model is not very encouraging. In case of small farmers in model S1 and S2 as family labour was sufficient and no hired labour was required. But in case of large farmers under relaxed capital the employment was generated in case of tractor hours and women labour. The Table 2 gives impact of credit on employment which is significant in case of large farmers where an increase of tractor hours and Man days 256 and 224 percent respectively.

IV. CONCLUSION

The study has brought out that there is a immense scope for increasing the net farm returns on both dry land and irrigated farm lands through reorganization of resources. The results also revealed that credit played an important role in increasing the income through reallocation of resources. Hence the farmers in the area be educated regarding the benefits of optimization techniques and they also be provided with short term credit facilities so that their net farm returns are increased. It was noted that credit required was directly related to farm size while credit on income inversely related to farm size.

REFERENCES

1. Vijay Paul Sharma. 2012. "India's agricultural development under the new economic regime policy perspective and strategy for the 12th Five year plan." *Indian Journal of Agricultural Economics*. 67(1): 46-78. *Science & Technology*. Pp 47-54.
2. Josh, P.K. and Kumar, P.2011. Food demand and supply projections for India, Mimeo. *International food policy reserch Institute* (Asia Office), New Delhi.
3. Paroda R.S. and Praduman kumar 2000. "Food Production and Demand in South Asia." *Agricultural Economics Research Review*. 13(1): 1-24

4. Birhanu, T.K., Almirew, T., 2015. *Optimizing Cropping Pattern Using Chance Constraint Linear Programming For Koga Irrigation Dam, Ethiopia*. *Irr. & Drain. Systems Engg.* Vol 4 Issue 2 p 35-46
5. Dahiphale, P., Singh, P.K. 2015. *Optimal Cropping Pattern for Jaisamnd Command of Udaipur District in Rajasthan, India*. *Research Journal of Recent Sciences*. P 1-7.
6. Firzone, J.A., Coelho, R.D., Dourado-Neto, D., Solani, R., 1997. *Linear Programming Model to optimize the water Resource Use in Irrigation Projects; An Application to the Senator Nilo Coelho Project*. *Science Agriculture, Piracicaba* 1997. Pp 136-148.
7. Gadge, S.B., Goruntwar S.B., 2014. "Linear Programming approach for Allocation of Land and Water Resources in Canal Command Area under Surface Method of Irrigation- A Case Study." *Int. Jour. of Innovative Research in Science, E&T*. p 153-168.
8. Goswami, S.N. 2002. "Farm planning in hills of Meghalaya for augmentation of income and employment vis-à-vis preservation of natural resource base." *Indian Journal of Agricultural Economics*. 57(2): 211 – 223.
9. Hassan Ishtiaq., A.R. Muhammad, Khalil, M., 2004. "Determination of optimum cropping pattern in Faisalabad Division (Pakistan)," *International Journal of Agriculture & Biology* 06-5: 901-903.
10. Hassan I., Shabbaz, M.T. 2008. "Impact of Increase in Wheat support Price on the Acreage and Income of the Farmers of Faisalabad, "Division. *Life Science International Journal* p 543-546.
11. Jehan, J., Malik Zilakat Khan, 2012. "Linear Programming Model and Sensitivity Analysis of Selected Agrarian Constraints Faced By Farming in The Provinces of Khaiber Pakhtunkhwa," *City University Research Journal*, Volume 3 No1 June 2012, Article 01: 20-24.
12. Jabeli, J., Patterson, B. 2016. "A Linear Programming Model to Optimize Cropping Pattern in Small – Scale Irrigation Schemes; An Application to Mekabo Scheme in Tigray, Ethiopia." *International Journal of Environmental & Agriculture Research (IJOEAR)*. P24-34
13. Firzone, J.A., Coelho, R.D., Dourado-Neto, D., Solani, R., 1997. "Linear Programming Model to optimize the water Resource Use in Irrigation Projects; An Application to the Senator Nilo Coelho Project." *Science Agriculture, Piracicaba* 1997. Pp 136-148.
14. Aparnati, M., Bhatt, D. 2014. "Linear Programming Model for Optimal Cropping Pattern for Economic Benefits of Mrbc Command Area." *IJIRST international Journal for Innovative Research in Science & Technology*. Pp 47-54.

AUTHOR'S PROFILE



Prof. **Dileep Kumar Kanna** working as Assistant Professor in BKIT, Bhalki, District Bidar, Karnataka in Civil Engineering Department. He has completed his graduation in Civil Engineering from Gulbarga University Gulbarga, in 1985. He completed his Master of Engineering from Bangalore University Bangalore in the year 1992. He has worked in the fields of software in civil engineering subjects teaching Auto-Cad and STAAD Pro to under graduate students. He has guided many students in software related flow through pipes in graduation level in their final year projects. He is also life member of Indian Society for Technical Education (ISTE). He has guided several PG students in their thesis both in Gulbarga University Gulbarga and Visweswaraya Technological University Belgavi. Currently he is pursuing his research work in the field of Water Resources Engineering from VTU, Belgavi. He has vast experience in teaching in both UG and PG trades.



Dr. **M.N. Dandigi**, working as Professor in Civil Engineering Department, P.D.A. College of Engineering, Kalburgi. He joined the institute in 1986 as lecturer and went on to become Professor, since 2005 he is Professor in the same institute. He completed his graduation in Year 1989 from Gulbarga University, Gulbarga and his P.G. from same University in 1989. He has completed his

Doctoral degree from NIT, Warangal in the year 2004 under Quality Improvement Programme (QIP). He is currently guiding students in PG course and also guiding Ph.D. students.

One student has successfully completed his Ph.D. under his able guidance from Visweswaraya Technological University, Belgavi. Another two students are about to submit their thesis for award of Ph.D. He has worked as Dean students affairs in PDA College of Engineering Gulbarga. He is currently Dean, discipline in his institute. He has also worked as examiner under Visweswaraya Technological University as Examiner and serving under different capacities. He is also a life member of Indian Society for Technical Education (ISTE). He has visited several countries including Ethiopia and Netherlands. He has also worked in Ethiopian University. He is currently working as BOE member for Civil Engineering course in his institute.